

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	10	("20020024943" "20030007482" "20030081754" "6256389" "6292478" "6359880" "6539077" "6996087").PN. OR ("7274683").URPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/28 16:22
L4	2918	discover near3 service	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/28 16:23
L5	80	(discover near3 service) near3 node	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/28 16:23
L6	35	(discover near3 service) near3 node and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR	ADJ	ON	2010/06/28 16:23
L11	0	("2010/0030905").URPN.	USPAT	ADJ	ON	2010/06/28 16:25
L12	133	(node or router) with (table or memory or stor\$4) with (search\$3 or forward\$3 or failure) with (mobil\$3 or wireless or (ad ajd hoc)) with (request or response) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 16:42
L13	9	L12 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L14	3	(address adj request) with (service adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 16:42
L15	0	L14 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42

L16	82	service with (search and request) with mobile and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 16:42
L17	9	L16 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L18	82	service with (search and request) with mobile and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/06/28 16:42
L19	9	L18 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L20	60	(discover or locate or search) near3 (new adj service) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L21	6	L20 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L22	216	(new near3 service near3 node) and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L23	8	L22 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42

L24	4	discover near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L25	0	L24 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L26	34	determine near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L27	2	L26 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L28	17	discover near3 topology near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L29	0	L28 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L30	45	(discovery or discover or find or determine) near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L31	3	L30 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42

L32	3	respond near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
L33	1	L32 and @pd> "20100308"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/06/28 16:42
S1	2	"6304556".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/17 08:51
S2	2	"5719861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/22 10:31
S3	6	"616051".ap.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 10:22
S4	3126	709/238.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 10:23
S5	8306	(NTT and Docomo).as.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:19
S6	128	(koji and omae).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 10:24

S7	4108	(masahiro and inoue).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:35
S8	230	(ichiro and okajima).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 10:25
S9	270	(narumi and umeda).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 13:44
S10	598	swisscom	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 13:52
S11	4	"5235599".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:20
S12	2	"5173689".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:22
S13	2	"5065399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/19 14:22
S14	21	(NTT and Docomo).as. and (node with search)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:20

S15	81	(masahiro and inoue).in. and node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:52
S16	130722	(node or router) with (table or memory or stor \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:58
S17	66784	(node or router) with (table or memory or stor \$4) and (search\$3 or forward\$3 or failure)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 14:59
S18	21727	(node or router) with (table or memory or stor \$4) and (search\$3 or forward\$3 or failure) and ("709"/\$.ccls. or "370"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:00
S19	5922	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) and ("709"/\$.ccls. or "370"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:01
S20	282	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with mobil\$3 and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:01
S21	354	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with (mobil\$3 or wireless or (ad ajd hoc)) and ("709"/\$. ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:03
S22	65	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with (mobil\$3 or wireless or (ad ajd hoc)) with (request or response) and ("709"/\$.ccls. or "370"/\$. ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:04

S23	3967	(mobility near3 management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:05
S24	995	(mobility near3 management) with (address or location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:05
S25	191	(mobility near3 management) with (address or location) with (node or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/20 15:05
S26	1	10/616051	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 13:39
S27	138	(searching or detecting or finding) with (service adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 15:17
S28	466	(address adj request) with node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:05
S29	2	(address adj request) with (service adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:05
S30	19	S27 and "709"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:06

S31	148881	service with (search or request)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:11
S32	14127	service with (search or request) with mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:11
S33	653	service with (search and request) with mobile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:12
S34	57	service with (search and request) with mobile and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:12
S35	441	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with mobil\$3 and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38
S36	107	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with (mobil\$3 or wireless or (ad ajd hoc)) with (request or response) and ("709"/\$.ccls. or "370"/\$.ccls.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38
S37	357	(mobility near3 management) with (address or location) with (node or element)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38
S38	151	(searching or detecting or finding) with (service adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38

S39	23	S38 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38
S40	67	service with (search and request) with mobile and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/04 16:38
S41	103	(S35 or S36 or S37 or S39 or S40) and @pd> "20081126"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:39
S42	25061	(discovery or locate or search) near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:43
S43	22855	(discover or locate or search) near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:43
S44	3717	(discover or locate or search) near3 service and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:43
S45	45	(discover or locate or search) near3 (new adj service) and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:43
S46	71	("5185860" "5276789" "5455853" "5692106" "5778049" "5796951"). PN. OR ("6182136"). UPPN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/06/04 16:45
S47	25631	service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:51

S48	637	new near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:51
S49	182	(new near3 service near3 node) and "709"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/06/04 16:51
S50	0	node near3 address near3 store near3 "not"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:31
S51	71	discover near3 node near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:31
S52	4	discover near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:31
S53	32	determine near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:32
S54	16	discover near3 topology near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:32
S55	8	("20020018481" "4554659" "4982400" "5150356" "5864680" "5949788" "7054951"). PN. OR ("7500016").PN.	US-PGPUB; USPAT; USOCR	ADJ	ON	2009/09/08 18:34
S56	4	"20020073181".did. or "20040030771".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:35

S57	1060	(dicvoery or discover or find or determine) near3 address near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:44
S58	1197	(discovery or discover or find or determine) near3 address near3 service	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:44
S59	39	(discovery or discover or find or determine) near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 18:45
S60	3	respond near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2009/09/08 19:00
S61	1	10/616051	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 10:14
S62	2	"7058706".did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 14:28
S63	124	(node or router) with (table or memory or stor \$4) with (search\$3 or forward\$3 or failure) with (mobil\$3 or wireless or (ad ajd hoc)) with (request or response) and ("709"/\$.cds. or "370"/\$.cds.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:35
S64	14	S63 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35

S65	3	(address adj request) with (service adj node)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:35
S66	0	S65 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S67	73	service with (search and request) with mobile and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:35
S68	5	S67 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S69	73	service with (search and request) with mobile and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/02/26 15:35
S70	5	S69 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S71	54	(discover or locate or search) near3 (new adj service) and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S72	3	S71 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35

S73	207	(new near3 service near3 node) and "709"/\$.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S74	16	S73 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S75	4	discover near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S76	0	S75 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S77	32	determine near3 node near3 service near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S78	0	S77 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S79	17	discover near3 topology near3 address	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35
S80	1	S79 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:35

S81	42	(discovery or discover or find or determine) near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:36
S82	3	S81 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:36
S83	3	respond near3 address near3 service near3 node	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:36
S84	0	S83 and @pd> "20090918"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:36
S85	1834	(service near3 discovery) and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2010/02/26 15:36

EAST Search History (Interference)

< This search history is empty >

6/ 28/ 2010 4:46:56 PM**C:\Documents and Settings\dmurray\My Documents\EAST\Workspaces\10616051.wsp**